

KLEIN - Company Introduction

ONE MOVEMENT CHANGES EVERYTHING

KLEIN® interior sliding and folding enclosures play with movement and light to connect residential and commercial spaces.

We put the utmost enthusiasm into designing and producing technologically perfect interior architectural systems, made for the enjoyment of the final user and a sense of calm for professionals.

Our goal is to allow for organic, transformable spaces, living spaces capable of adapting to their users' life and emotions.

We ensure excellence for architecture and construction professionals through the provision of inspiring applications and unparalleled service.

We perform design, modeling, production, and post-production tests on our systems, as well as all of their packaging, entirely at our factory in Barcelona.

We give complete importance to details that are invisible, but make all the difference.



KLEIN'S HISTORY



1926

Ernesto Klein Theuman leaves Vienna, settles down in Barcelona, starts a small metallurgy company.



1931

Foundation of KLEIN.



1953

Gerardo Klein Stašny in leadership, beginning of the growth and diversification of the company. KLEIN is renowned for its curtain rails, with an extensible rail system.



1960s

Launching of the first sliding track for doors weighing between 40 and 1,000 kg, the iconic "K" Line.



1980

Systems for closets (Roll), wood panels, hidden clamping system (Retrac), and first applications for sliding glass doors (Rollglass, Unikglass, Extendol), acting as a pioneer in the use of pressure clamping.



1990s

Opening of 57 markets across all five continents.



2010 to today...

Marc Tàrraga Klein, the current CEO, updates the management system and strengthens the positioning of KLEIN®, investing primarily in international expansion (through subsidiaries), updated production processes, and the launch of new products.



90 YEARS OF PASSION FOR INTERIOR PARTITIONS

50 million

we have produced
more than 50 million rollers

30 million

we have installed more than
30 million partitions and sliding doors

15%

we invest more than 15%
of our annual turnover in R&D



KLEIN PROJECTS IN THE WORLD

our most important sectors: RESIDENTIAL, HOTELS, COMMERCIAL, HOSPITALITY



The most demanding international design and quality certifications attest to our expertise, the product of 90 years of constant innovation.


Our Guarantees



Our Certifications



Our Awards



Glass line

NATURE

KLEIN®

NATURE: creates a glass architectural wall that combines fixed and mobile glass panels via a wooden track. Versatile and flexible, it allows for numerous combinations with impeccable details.

- Ceiling installation.
- New clamp: centralizes all the system's features, including height regulation, activation of the braking mechanism, and the anti-jump device.
- Quick, intuitive assembly thanks to pieces that connect the profiles.
- Three set-ups available, all with an innovative design:
 - Can accompany combination: frameless sliding doors and fixed glass
 - Can accompany combination: framed sliding door and fixed glass
 - Can accompany combination: framed sliding door and unframed fixed glass
- 1/2" glass, weighing up to 220 lbs per sliding panel.
- Height regulation of +/-1/8"
- Profile made of laminated oak wood with Echo Varnish or Natural Finish options. PEFC and FSC wood certifications.
- Silent, effortless sliding.
- Five-year KLEIN® warranty.
- Door braking with KSC, Klein Soft Closing: Smooth, controlled stopping.
- Design optimized to allow for the easy disassembly of the materials at the end of their lifespan. PVC-free.



reddot winner 2021



EPD®

FINISHES



Natural
Natural




Bamizado ECO
ECO-Varnished

MODELS



[Click to see the product's video](#)



ROLLGLASS + 100/150

KLEIN®

ROLLGLASS creates a glass front that combines fixed and mobile glass panels on a single track.. It can be hidden in a drop ceiling for a completely minimalist effect. It has a light, elegant design. Versatile and flexible, it allows for various combinations, down to the smallest detail.

- Installation on ceiling or in drop ceiling
- Special profile with hidden dropped ceiling wings for maximum architectural integration..
- A new clamp which centralizes all features of the system.
- Fast and intuitive assembly for efficient implementation:
 - Direct access to the clamp
 - System embedded in drop ceiling: two-phase assembly for easy installation.
 - Bottom profile in a double “L” shape for easy frontal insertion of the glass.
- Absence of floor tracks, leaving a clear passage area.
- Silent and effortless sliding.
- KSC, Klein Soft Closing: Smooth, controlled closing.



Rollglass+ 100 is swing door compatible

FINISHES



MODELS



[Click to see the product's video.](#)



UNIKGLASS+



Unikglass+: a discrete profile guides a single mobile glass pane. It can be hidden in a drop ceiling for a completely minimalist effect. This system does not have any tracks or other architectural barriers on the floor. It allows for an easy and completely intuitive assembly.

- Exposed or hidden profile, installed on a wall, ceiling, or in a drop ceiling, with or without a lintel.
- Special profile with hidden dropped ceiling wings for maximum architectural integration.
- A new clamp which centralises all features of the system: height adjustment, activation of the braking mechanism, and anti-derailing device.
- Fast and intuitive assembly for efficient implementation:
 - Direct access to the clamp.
 - System embedded in drop ceiling: two-phase assembly for easy installation.
- Absence of floor tracks, leaving a clear passage area.
- 10* or 12 mm glass, weighing up to 100 kg per pane.
- Height adjustment of +/- 3 mm
- Silent and effortless sliding.
- Smooth closing guaranteed, with no slamming.



FINISHES

-  Alu. Silver Mate
Alu. Silver Matte
-  Alu. Negro Mate
Alu. Black Matte
-  Alu. Bronze Mate
Alu. Bronze Matte

MODELS



[Click to see the product's video](#)



LITE GLASS+

KLEIN®

LITE+ connect spaces through a single sliding glass panel, Without floor tracks. It offers great versatility and maximum architectural integration with numerous configurations, such as bi-passing or bi-parting doors . Can be installed on the ceiling or wall, with an exposed profile, or a recessed installation with a hidden profile.


- Fast and intuitive assembly for efficient implementation :
 - Direct access to the braking mechanism and the adjustment system.
 - System embedded in drop ceiling: two-phase assembly for easy installation.
- Compact system for a minimalist design.
- Absence of floor tracks, leaving a clear walking area..
- Glass up to 100 kg.
- Silent, effortless sliding thanks to its bearing system.
- Smooth closing, with no slamming.
- Soft closing system: KSC, Klein Soft Closing, Optional system.



FINISHES



MODELS





EXTENDO

Extendo has been designed to divide ambiances using a system of synchronized telescopic glass panels at 90º, creating more space, greater clearance and offering rooms a highly contemporary look.

- Telescopic system comprising various frameless sliding glass doors.
- Can be mounted to the ceiling, walls, pocket, recessed and/or exposed.
- Synchronized opening system of 2,3 or 4 doors.
- Maximum opening up to 16'-8" m with minimum parking each side.
- Clean, innovative design.
- Easy installation – the glass does not have to be mechanized (tempered or laminated).
- The ball bearing system allows smooth, effortless movement.
- No need for a floor track, leaving the passageway clear.

This system is swing door compatible.

FINISHES

-  Alu. Silver Mate
Alu. Silver Matte
-  Alu. Negro Mate
Alu. Black Matte

MODELS



[Click to see the product's video](#)







UNIKGLASS + AIR

KLEIN®

UNIKGLASS+ AIR is designed to be installed in unframed glass partitions to create rooms by means of a frameless glass panel, generating more clearance with its contemporary design.

- Frameless sliding glass door system..
- Installation on 10, 12 or 16 mm glass wall..
- Easy installation: The sliding glass doesn't have to be mechanized (tempered or laminated).
- 10 mm or 12 mm glass.
- Weight up to 100 Kg.
- Height adjustment of +/- 3 mm.
- Clean and innovative design.
- The bearing system allows smooth and effortless movement.
- No need for a floor track, leaving the passageway clear.
- Closing options:
 - KSC, Klein Soft Closing: Smooth, controlled closing.
 - KBS+, Klein Brake System: Stop with damper brake.
- Allows for panes starting at 80 cm width.
- Standard for the entire line..
- Our cutting-edge hydraulic dampers with multiple springs ensure optimum performance. Choose the feature that best suits your project.



FINISHES



Alu. Silver Mate
Alu. Silver Matte



Alu. Negro Mate
Alu. Black Matte

MODELS



FRONT


KLEIN®

FRONT creates spaces by combining fixed glass panels with elegant sliding wood doors. The beauty of these two unique materials is enhanced by their harmonious contrast and by reversing their traditional roles. The **FRONT** system can be hidden in a drop ceiling to enhance the lightness of the structure, with a recessed frame track profile that allows for a more agile phased installation and total architectural integration.



- Exposed ceiling installation.
- Quick and intuitive assembly for efficient implementation
- Double “L” bottom profile for easy frontal insertion of the fixed glass.
- Available with or without a bottom profile for the fixed glass.
- Absence of any floor tracks to keep the passage area clear.
- Fixed glass panels measuring 10 or 12 mm.
- Up to 100 kg per sliding wood door, measuring between 35 and 45 mm thick.
- Silent, effortless sliding.
- Guaranteed smooth closing, with no slamming.
- Door braking: KSC, Klein Soft Closing, for smooth, controlled stopping.
- Allows for glass panels measuring up to 75 cm wide.

FINISHES



MODELS



LIGNEA


KLEIN®

LIGNEA creates spaces by combining fixed glass panels with elegant sliding wood doors. The beauty of these two unique materials is enhanced by their harmonious contrast. The LIGNEA system can be hidden in a drop ceiling to enhance the lightness of the structure, with a recessed frame track profile that allows for a more agile phased installation and total architectural integration



- Exposed ceiling installation.
- Quick and intuitive assembly for efficient implementation.
- Double “L” bottom profile for easy frontal insertion of the fixed glass.
- Available without a bottom profile for the fixed glass.
- Absence of any floor tracks to keep the passage area clear.
- Fixed glass panels measuring 10 or 12 mm.
- Up to 100 kg per sliding wood door, measuring between 35 mm thick..
- Silent, effortless sliding.
- Guaranteed smooth closing, with no slamming.
- Door braking: KSC, Klein Soft Closing, for smooth, controlled stopping.
- Allows for glass panels measuring up to 75 cm wide.

FINISHES



MODELS



PANORAMIC

Panoramic is a glass front system of the highest quality, designed to create or reorganize interior spaces. It allows for a wide range of applications and offers features such as a 90° junction or recessed top and bottom profiles. It also offers the possibility of double fixed glass, measuring 12 or 16 mm.


- It incorporates insulating joints for greater privacy..
- Possibility of drop-ceiling profiles for phased installation
- It gives the architect maximum freedom when designing.



FINISHES

Alu. Silver Mate
Alu. Silver Matte

MODELS



KLEIN®

POCKET GLASS

Pocket Glass is designed to separate rooms with one or several sliding glass doors, with a recessed or exposed profile in a commercial design.

- Ideal for partitioning bedrooms, lounges, bathrooms, offices, conference rooms, etc.
- System designed for both clean designs with no visible fittings and commercial designs featuring exposed clamps.
- Cleared passageway with no floor profile.
- Door secured by short or long pressure clamps (tempered or laminated glass). 10 or 12 mm glass with weight up to 150 Kg..
- Ball bearing system for smooth opening.
- Stopper-brake for optimum closing..
- Installation between walls and/or false ceiling.



FINISHES

- Alu. Silver Mate
- Alu. Silver Matte

MODELS





ROLLGLASS SIDE MOUNTED

KLEIN®

Rollglass® has been designed to combine fixed and sliding panels, with track mounted from wall to wall.


- Ideal for partitions in lofts, shower stalls, etc. ...
- Compact, innovative system for a minimalist design.
- Minimal gap between fixed and sliding glass doors to enhance the overall aesthetics.
- Cleared passageway with no floor profiles.
- Clip-fixed gallery for a quick installation
- Door secured by pressure clamps; no need for mechanized glass (tempered or laminated glass).
- 8, 10 or 12 mm glass up to 90 Kg
- The ball bearing system allows smooth, effortless movement..
- Stopper-brake for optimum closing.
- Side mounted installation.



FINISHES

● Alu. Silver Mate
Alu. Silver Matte

MODELS



ROLMATIC CORNER

KLEIN®

Rolmatic Corner has been designed to divide rooms by means of bi-parting sliding panels at 90°, including a synchronized mechanism to allow the doors to slide simultaneously on glass sidelights.


- Ideally suited as a partition for offices, conference rooms, sleeping or living rooms...
- Innovative system from 90° (corner) up to 180° to deliver up to 2,5 m opening.
- Minimal gap between fixed and sliding panels for enhanced aesthetics.
- Clear passageway free of any floor track.
- One single track combines both fixed and sliding panels for an easy.
- Valance is clipped for easy installation.
- Door clamping by pressure clamps without machining the glass.
- Glass is 10 or 12 mm.
- Ball bearing system allows smooth, effortless movement
- Premounted and pretensed transmission system for quick mounting.
- Installed to the wall.



FINISHES



MODELS



UNIKMATIC CORNER


KLEIN®

UNIKMATIC Corner has been designed to create interiors by means of two synchronized frameless glass panels allowing the doors to slide simultaneously.


- Ideally suited for dividing rooms, living rooms, bathrooms, offices.
- Innovative opening system to 180° or 90° (corner) reaching up to 2,5 meters opening .
- Clear passageway, free of any floor track.
- Valance is clipped, allowing quick mounting.
- Door clamping by pressure clamps without machining the glass.
- Allows 10 or 12 mm glass.
- Premounted and pretensed transmisión system, allowing quick mounting.
- Ball bearing system for smooth opening.
- Mounted onto the wall.



FINISHES



MODELS






UNIKSELF

UNIKSELF® The system has been designed to replace any kind of conventional swinging door by a mobile glass and self-closing feature with adjustable speed.

- Separate kitchens, bedrooms, offices and/or laboratory
- A modern design for contemporary projects
- Cleared passageway with no floor profile.
- "Self-closing" system.
- Ball bearing system for an easy installation.
- Easy installation - the glass does not have to be mechanized (tempered or laminated).
- Hold glass of 10 and 12 mm.
- The ball bearing system allows smooth, effortless movement.
- Stopper with cushion for a progressive brake.
- Wall mounted.



FINISHES



MODELS



KLEIN®

UNIKAIR SELF


KLEIN®

UNIKAIR SELF has been designed to install a sliding glass door with a self-closing system in a glass wall to optimize light and access control.

- Ideal for partitioning offices, laboratories, etc.
- A modern design for contemporary projects..
- Cleared passageway with no floor profiles.
- Advanced self-closing system with adjustable speed.
- Clip-fixed gallery for a quick installation..
- Door secured by pressure clamps; no need for mechanized glass (tempered or laminated glass).
- 10 or 12 mm glass for openings up to 1400 mm wide.
- Ball bearing system for smooth opening.
- Stopper with cushion for a progressive brake.
- Glass wall mounted.



FINISHES



MODELS



ROLLGLASS SELF



Rollglass® Self has been designed to separate rooms by a glass wall combining fixed and sliding panels with a self-closing feature. It is suitable for commercial, residential and hospitality projects


- Ideal for office partitions, conference rooms, entrance to bathrooms, bedrooms, or labs.
- Advanced self-closing feature with adjustable speed.
- Compact system for a minimalist design.
- Minimal gap between fixed and sliding panels to enhance the overall aesthetic.
- Cleared passageway with no floor profile.
- Single profile to combine fixed and sliding panels for an easy installation.
- Clip-fixed gallery for a quick installation.
- Door secured by pressure clamps; no need for mechanized glass (tempered or laminated glass)
- Holds 10 or 12 mm glass.
- Ball bearing system for smooth opening.
- Stopper with cushion for a progressive brake
- Ceiling mounted.



FINISHES

- Alu. Silver Mate
- Alu. Silver Matte

MODELS



	Ø
G1	1650 mm - 2.000 mm 65\"/>
G2	2.000 mm - 2.500 mm 79\"/>
G3	2.500 mm - 3.000 mm 98\"/>



KLEIN®



-

● Alu. Silver Matte
Alu. Silver Matte



NEXA

KLEIN®

The NEXA Glass Swing Door Kit is highly reliable because it ensures a fluid and easy opening of the door up to 135° and a cushioned closing that accompanies the leaf until its final position. It integrates all the necessary elements for its placement: hydraulic bolt, screws, handle and lock.



- Silver or matt black finish.
- Glass thickness: 8, 10 or 12 mm
- Glass pane up to 3 m high x 1 m wide
- Up to 100 kg door weight
- Possible installations: onto the ceiling or on KLEIN Rollglass+, Extendo, Panoramic and Nature systems.
- Magnetic latch..
- Automatic closing with speed regulation
- Offers several types of closing:
 - 1) Lock with cylinder (cylinder not included)
 - 2) Lock handle
 - 3) Concealed lock
 - 4) With Nature handle

FINISHES	MODELS
Alu. Silver Mate Alu. Silver Matte	Peso máximo puerta 100 kg Maximum door weight 220 lbs Altura puerta 1 m - 3 m Door height 3' 3 3/8" - 120"
Alu. Negro Mate Alu. Black Matte	Espesor puerta 8 mm - 12,7 mm Door thickness 5/16" - 1/2" Ancho puerta 750 mm - 1 m Door width 29 9/16" - 3' 3 3/8"





Manilla Ciega
Concealed Handle



Manilla Cilindro
Cylinder Handle



Manilla Condens
Lock Handle



Wood line



LEVEL


KLEIN®

LEVEL is the first KLEIN system for wooden swing doors. An ideal option for spaces requiring a more elevated interior design, **LEVEL** is a swing door system in which the aesthetic becomes the star of the show, meeting project expectations and adding character.


- Magnetized latch: maximum silence when opening and closing the door
- Handle flush with the panel for a restrained, visually distinct design
- Wide application versatility depending on the handle:
 - 1) Concealed handle
 - 2) Lock handle
 - 3) Cylinder handle
- Hidden hinges that can be adjusted in 3 dimensions
- Door opening up of to 180°
- Panels starting at 40 mm thick and weighing up to 40 kg
- Silver and Matte Black anodized finish
- Systems tested up to 100,000 cycles, in accordance with the EN 1527 standard.



FINISHES



MODELS



SENSUS

KLEIN®

SENSUS allows you to divide rooms with a single sliding wood panel. Compact and robust, simple and functional, SENSUS resists even the most intensive uses and meets all of KLEIN's criteria for excellence.


- Ceiling installation in either of the following versions Upper or Retractable: with fittings built into the door to reduce the separation between the profile and the door to 4 mm.
- For panels weighing 40 to 80 kg.
- Smooth opening and sliding, particularly silent thanks to our new frictional sliding technology.
- Quick, intuitive assembly for efficient implementation.
- Compact system for a minimalist design.
- Absence of any floor tracks to keep the passage area clear.
- Silver anodized aluminum profile.
- Damping bumper for smooth closing without any bounce back.
- Systems tested to over 100,000 cycles, in accordance with the EN 1527 standard.



FINISHES



MODELS



LITE +

KLEIN®

LITE: separate rooms with a single sliding wood panel, without any floor tracks. It offers great versatility and maximum architectural integration, while creating mobile partitions for flexible spaces.



- Can be installed on the ceiling or wall, with an exposed profile, or a recessed installation with a hidden profile.
- Fast and intuitive assembly for efficient implementation:
 - Direct access to the braking mechanism and the adjustment system.
 - System embedded in drop ceiling: two-phase assembly for easy installation.
- Absence of floor tracks, leaving a clear passage area.
- Panels weighing up to 100 kg.
- Silver, Black and Bronze anodised aluminium profiles.
- Smooth, effortless sliding thanks to its bearing system.
- Smooth closing, with no slamming.
- Soft closing system: KSC, Klein Soft Closing. Optional system



FINISHES



MODELS



[Click to see the product's video](#)











LITE PAR


KLEIN®

LITE PAR is an interior folding door system designed to fit in recessed openings through two folding panels, with no floor track. It allows maximum integration when the track is recessed.


- Two types of folding: central and lateral, to meet any architectural challenge.
- New concealed hinges, integrated in the accessory set to have all installation elements.
- Recessed track (Top) for invisible installations.
- Optimum functionality through main pivot panel.
- Exposed and recessed ceiling installations.
- Retractable system facilitates the installation of the set.
- Anodized silver aluminum surface.
- 2 panels, maximum of 50kg each.
- Allows Bi-parting applications 2 + 2 doors.
- Panels from 35mm thick.
- No need for any floor track.



FINISHES



MODELS



LITE PAR LATERAL / LITE PAR CENTRAL





LITE FOLD

KLEIN®

LITE FOLD is an interior folding door system designed to fit in recessed openings through 2, 3, 4 or 5 folding panels. It guarantees maximum architectural integration when the track is recessed.


- Two types of folding: central and lateral, to meet any architectural challenge.
- New concealed hinges, integrated in the accessory set to have all installation elements.
- Recessed track (Top) for invisible installations.
- Optimum functionality through main pivot panel.
- Exposed and recessed ceiling installations.
- Reduced dimension of the lower profile.
- Retractable system facilitates the installation of the set.
- Up to 5 panels, maximum of 100kg in total.
- Panels from 35mm thick.



FINISHES

Alu. Silver Mate
Alu. Silver Matte

MODELS



LITE FOLD LATERAL / LITE FOLD CENTRAL



[Click to see the product's video](#)





SLID+ 150 KSC

KLEIN®

SLID is designed to create environments with one or two wood or metal panels, creating more clearance without overlooking the minimalist design of the system.


- For doors up to 150 Kg.
- Silver anodized aluminium profile (AA10 ISO 7599, 10 microns).
- Exposed or concealed profile.
- Clean and innovative design.
- Easy door installation and disassembly.
- Vertical height adjustment.
- Superior and Retractable versions are available.
- On wall, on ceiling or into dropped ceiling installation.
- Smooth, effortless sliding.
- Soft closing system: KSC, Klein Soft Closing. System: smooth closing, with no slamming.
- Allows panels starting from 80 cm wide.




FINISHES

Alu. Silver Mate
Alu. Silver Matte

MODELS



[Click to see the product's video](#)



[Click to see the product's video](#)

SLID PAR


KLEIN®

SLID PAR is an interior folding doors system designed with two folding panels, free of any floor track. It ensures maximum Architectural integration with its recessed upper profile.


- Two types of folding: central and lateral, to meet any architectural challenge.
- New concealed hinges, integrated in the accessory set to have all installation elements.
- Optimum functionality through main pivot panel.
- Exposed and recessed ceiling installations.
- Retractable system facilitates the installation of the set.
- Anodized silver aluminum surface.
- 2 panels, maximum of 75 kg each.
- Panel thickness from 35 mm.
- Free of any floor track.



FINISHES



MODELS



SLID PAR LATERAL / SLID PAR CENTRAL



SLID FOLD

KLEIN®

SLID FOLD is an interior folding door system designed to fit in recessed openings through 2, 3, 4 or 5 folding panels. It guarantees maximum architectural integration when the track is recessed.


- Two types of folding: central and lateral, to meet any architectural challenge.
- New concealed hinges, integrated in the accessory set to have all installation elements.
- Recessed track (Top) for invisible installations.
- Optimum functionality through main pivot panel.
- Exposed and recessed ceiling installations.
- Reduced dimension of the compact bottom track.
- Retractable system facilitates the installation of the set.
- Anodized silver aluminum surface.
- Up to 5 panels, maximum of 150 kg in total.
- Panel thickness from 35 mm.



FINISHES

● Alu. Silver Mate
Alu. Silver Matte

MODELS



SLID FOLD LATERAL / SLID FOLD CENTRAL



KLEIN®

- 

● Alu. Silver Mate
Alu. Silver Matte

MODELS













K

KLEIN®

K is designed to create environments with a panel. It has been the most widely sold product throughout the history of Klein. The premise of its design favours strength and durability above aesthetics.

- Wood or Metal sliding door system.
- Neocrom or Sendzimir finish steel profile.
- Full ball bearings.
- High strength and durability of the product.



FINISHES





Acero Neocrom
Neocrom Steel



Acero Sendzimir
Sendzimir steel

MODELS





K FURNITURE

KLEIN®

K is designed for furniture and closets' openings sliding one or several panels parallel to each other granting multiple accesses within the same application.

- Ideal for furniture, closets, and office files boxes...
- Handy system for daily operations.
- "Neocrom" or "Sendzimir" single steel profile.
- Double natural aluminium profile.
- Height adjustment system.
- Friction bearings (K 20) or Ball bearing system (K 30).
- Doors up to 30 Kg.
- Top hung mounted.



FINISHES




Acero Neocrom
Neocrom Steel




Acero Sendzimir
Sendzimir steel

MODELS

K 20/30



K 20/30





ROLL

KLEIN®

The ROLL range is designed for opening furniture and wardrobes with two parallel wood panels.

- Mechanisms for furniture and wardrobe sliding doors.
- Minimum space between door and frame.
- Weight up to 52 Kg per panel.




FINISHES


- | | | | |
|--|---|--|---|
|  Alu. Natural
Alu. Natural |  PVC Marron
Brown PVC |  Alu. Negro
Alu. Black |  PVC Negro
Black PVC |
|  Alu. Silver
Alu. Silver |  PVC Blanco
White PVC |  Alu. Brass
Alu. Brass | |

MODELS

ROLL 12



ROLL 42





Accessory line

GUIDER

KLEIN®

GUIDER , a universal accessory that provides a telescopic movement to multi-panel wooden interior partitions. It ensures that all panels are aligned when the system is fully open, without needing any floor track.

- Concealed accessory at the bottom of the panel
- For 2 or 3 panels of up to 150 kg (330 lbs) each
- Available with or without damper KBS (Klein Brake System)
- Compatible with SUPERIOR and RETRAC range for a minimum gap of 3 mm between the top track and the panel.
- It fits all sliding wood doors on the market
- Accessory not compatible with our braking systems KSC (Klein Soft Closing)




FINISHES



Acero Zincado
Zinc Plated steel

MODELS

Peso máximo puerta 150 kg
Maximum door weight 330 lbs



[Click to see the product's video](#)





TEMPO

TEMPO is an elegant handle with a small curve in its central part that provides comfort and softness. A precise ergonomics so that only a few fingers are needed to move a door smoothly, to the rhythm of its user.

- Adhesive or screwed handle for glass or wood.
- Length of 300 or 700 mm.
- Fast and intuitive assembly.
- Anodized finish Silver, Matte Black and Dark Bronze.
- Five-year KLEIN warranty.



FINISHES



MODELS



[Click to see the product's video](#)

KLEIN®





NATURE

KLEIN®

The Nature Handle features a restrained design full of details made to give spaces a touch of warmth and human personality, combining elements of function, emotion, and sensuality.

- Installation suitable for glass and wood panels
- 400-mm long
- Carved out of PEFC-certified oak wood
- Balanced and refined, consistent with our aesthetic canon
- Natural, ergonomic design
- Available in Natural and Eco-friendly Varnish finishes



FINISHES



Natural
History



Barnizado ECO
ECO-Varnished

MODELS





HINGES

KLEIN®

The new invisible hinges are perfectly dimensioned to the needs of our systems. They are sold separately or integrated in the KIT of our folding door systems to provide all the elements of the installation.

- High capacity, up to 150 kg.
- Easy to install (3D adjustable).
- Embedded in the edge of the panel.
- Concealed when the installation is closed.
- Minimum distance between panels, with open installation.
- Asymmetrical hinges for optimum performance.
- Silver anodized finish as our profiles.
- Height adjustment, between X and Z panels.
- Folding systems tested with Klein hinges to over 100,000 cycles.


Compatible with hinged doors (up to 52kgs.) and with SLID PAR and FOLD systems (up to 150kgs.), LITE PAR and FOLD (up to 100kgs).



ACABADOS

● Alu. Silver Mate
Alu. Silver Matte

MODELOS



KIT SWING DOOR

KLEIN®

New set of accessories for swing doors that complements the KLEIN EXTENDO, ROLLGLASS+ and PANORAMIC glass partitions. Minimalist design with concealed hinges and clamps. Designed for office spaces.

- Quick and intuitive assembly:
 - Retractable upper pivot
 - Lower pivot without the need to be recessed in the floor
- Up to 100 kg and 12 mm glass.
- Vertical trim profile in Silver and Black anodised aluminium.
- Door clamping by pressure clamps without machining the glass.
- Maximum glass length: 1m wide and 3m high.
- Self closing system with adjustable speed, which guarantees a smooth and shock-free closing.
- Open position locking above 85°.
- Possibility to choose the opening direction.



FINISHES





Alu. Silver Mate
Alu. Silver Matte



Alu. Negro Mate
Alu. Black Matte

MODELS



- 0° - 85° = Autocierra / Self closing
- 85° - 90° = Bloqueo de posición / Position lock



KLEIN EUROPE

Edificio KLEIN
Pol. Industrial Can Cuyás
Ctra. N-150 a Sabadell Km.1
08110 Montcada i Reixac
Barcelona, Spain

Contact
(+34) 935 760 101
klein@klein.es

Website and social media
www.klein.es



KLEIN USA

Madison Street 1
East Rutherford
NJ 07073
UNITED STATES

Contact
973 246 8181
937 246 8362 (Fax)
info@klein-usa.com

Website and social media
www.klein-usa.com

